LOCUS Scoring Sheet

Client Name:	ID#	
Reviewer Name:	ID#	
Date Completed:		
I. Risk of Harm		
 1 - Minimal risk of harm □ a- No indication of suicidal or homicidal thou homicidal ideation, and no indication of sig □ b- Clear ability to care for self now and in the 	gnificant distress.	
2 - Low risk of harm		
	nt episodes of potentially harmful behaviors.	
3 - Moderate risk of harm		
a- Significant current suicidal or homicidal ide past history.	eation without intent or conscious plan and without	
b- No active suicidal/homicidal ideation, but suicidal/homicidal behavior exists.	extreme distress and/or a history of	
	icidal behavior or threats and current expressions	
	ing in potentially harmful behaviors without current	
	apromise in ability to care for oneself in current	
4 - Serious risk of harm		
a- Current suicidal or homicidal ideation with carrying out such behavior but without me expressed inability or aversion to doing so,	ans for carrying out the behavior, or with some	
☐ b- History of chronic impulsive suicidal/hom	icidal behavior or threats with current expressions	
	resulting in loss of self-control and clearly harmful	
behaviors with no demonstrated ability to a d- Clear compromise of ability to care adequate environment.		

5 - Extreme risk of harm a- Current suicidal or homicidal behavior or such intentions with a plan and available means to carry out this behavior... i- without expressed ambivalence or significant barriers to doing so, or ii- with a history of serious past attempts which are not of a chronic, impulsive or consistent nature, or iii- in presence of command hallucinations or delusions which threaten to override usual impulse control. b- Repeated episodes of violence toward self or others, or other behaviors resulting in harm while under the influence of intoxicating substances with pattern of nearly continuous and uncontrolled use. c- Extreme compromise of ability to care for oneself or to adequately monitor environment with evidence of deterioration in physical condition or injury related to these deficits. II. Functional Status 1 - Minimal Impairment a- No more than transient impairment in functioning following exposure to an identifiable 2 - Mild Impairment a- Experiencing some problems in interpersonal interactions, with increased irritability, hostility or conflict, but is able to maintain some meaningful and satisfying relationships. a- Recent experience of some minor disruptions in aspects of self-care or usual activities. Developing minor but consistent difficulties in social role functioning and meeting obligations such as difficulty fulfilling parental responsibilities or performing at expected level in work or school, but maintaining ability to continue in those roles. C- Demonstrating significant improvement in function following a period of deterioration. 3 - Moderate Impairment a- Becoming conflicted, withdrawn, alienated or otherwise troubled in most significant relationships, but maintains control of any impulsive, aggressive or abusive behaviors. D- Appearance and hygiene may fall below usual standards on a frequent basis. c- Significant disturbances in physical functioning such as sleep, eating habits, activity level, or sexual appetite, but without a serious threat to health. d- Significant deterioration in ability to fulfill responsibilities and obligations to job, school, self, or significant others and these may be avoided or neglected on some occasions. e- Ongoing and/or variably severe deficits in interpersonal relationships, ability to engage in socially constructive activities, and ability to maintain responsibilities. ☐ f- Recent gains and or stabilization in function have been achieved while participating in treatment in a structured and /or protected setting. 4 - Serious Impairment a- Serious decrease in the quality of interpersonal interactions with consistently conflictual or otherwise disrupted relations with others, which may include impulsive, aggressive or abusive

LOCUS Score Sheet 2

behaviors.

□ b- □ c- □ d-	Significant withdrawal and avoidance of almost all social interaction. Consistent failure to maintain personal hygiene, appearance, and self care near usual standards. Serious disturbances in physical functioning such as weight change, disrupted sleep, or fatigue that threaten physical well being.
e-	Inability to perform close to usual standards in school, work, parenting, or other obligations and these responsibilities may be completely neglected on a frequent basis or for an extended period of time.
5 - Se	vere Impairment
	Extreme deterioration in social interactions which may include chaotic communication, threatening behaviors with little or no provocation, or minimal control of impulsive, aggressive
\Box ,	or abusive behavior.
□ _C -	Development of complete withdrawal from all social interactions. Complete neglect of personal hygiene and appearance and inability to attend to most basic
□ (-	needs such as food intake and personal safety with associated impairment in physical status.
□ d-	Extreme disruptions in physical functioning causing serious harm to health and well being.
_ e-	Complete inability to maintain any aspect of personal responsibility as a citizen, or in occupational, educational, or parental roles.
III. Med	ical, Addictive, and Psychiatric Co-Morbidity
1 - No	Co-morbidity
□ a-	No evidence of medical illness, substance use disorders, or psychiatric disturbances apart from
	the presenting disorder.
□ b-	Any illnesses that may have occurred in the past are now stable and pose no threat to the stability of the current condition.
2 - Mi	nor Co-morbidity
☐ a-	Existence of medical problems which are not themselves immediately threatening or debilitating and which have no impact on the course of the presenting disorder.
□ b-	
□ c-	May occasionally experience psychiatric symptoms which are related to stress, medical illness,
— c	or substance use, but which are transient and have no discernable impact on the co-existing
	substance use disorder.
3 - Sig	nificant Co-morbidity
□ a-	Medical conditions exist, or have potential to develop (such as diabetes or a mild physiologic
	withdrawal syndrome), which may require significant medical monitoring.
□ b-	Medical conditions exist which may be adversely affected by the existence of the presenting disorder.
c-	
\Box d-	Ongoing or episodic substance use occurring despite adverse consequences with significant or potentially significant negative impact on the course of any co-existing psychiatric disorder.

1	□ e-	Recent substance use which has had clearly detrimental effects on the presenting disorder but which has been temporarily arrested through use of a highly structured or protected setting or through other external means.
	□ f-	Significant psychiatric symptoms and signs are present which are themselves somewhat debilitating, and which interact with and have an adverse affect on the course and severity of any co-existing substance use disorder.
4	- Ma	ijor Co-morbidity
] a-	Medical conditions exist, or have a very high likelihood of developing (such as a moderate, but uncomplicated, alcohol, sedative, or opiate withdrawal syndrome, mild pneumonia, or uncontrolled hypertension), which may require intensive, although not constant, medical monitoring.
] b-	Medical conditions exist which are clearly made worse by the existence of the presenting disorder.
	_ c-	Medical conditions exist which clearly worsen the course and outcome of the presenting disorder.
] d-	Uncontrolled substance use occurs at a level, which poses a serious threat to health if unchanged, and/or which poses a serious barrier to recovery from any co-existing psychiatric disorder.
	□ e-	Psychiatric symptoms exist which are clearly disabling and which interact with and seriously impair ability to recover from any co-existing substance use disorder.
<mark>5</mark>	- Sev	vere Co-morbidity
_	¬ a-	Significant medical conditions exist which may be poorly controlled and/or potentially life
Ĺ] ^{a-}	threatening in the absence of close medical management (e.g., severe or complicated alcohol withdrawal, uncontrolled diabetes mellitus, complicated pregnancy, severe liver disease,
	_	threatening in the absence of close medical management (e.g., severe or complicated alcohol withdrawal, uncontrolled diabetes mellitus, complicated pregnancy, severe liver disease, debilitating cardiovascular disease). Presence and lack of control of presenting disorder places client in imminent danger from
[」 □ b-	threatening in the absence of close medical management (e.g., severe or complicated alcohol withdrawal, uncontrolled diabetes mellitus, complicated pregnancy, severe liver disease, debilitating cardiovascular disease). Presence and lack of control of presenting disorder places client in imminent danger from complications of existing medical problems. Uncontrolled medical condition severely worsens the presenting disorder, dramatically
[」 □ b- □ c-	threatening in the absence of close medical management (e.g., severe or complicated alcohol withdrawal, uncontrolled diabetes mellitus, complicated pregnancy, severe liver disease, debilitating cardiovascular disease). Presence and lack of control of presenting disorder places client in imminent danger from complications of existing medical problems. Uncontrolled medical condition severely worsens the presenting disorder, dramatically prolonging the course of illness and seriously impeding the ability to recover from it. Severe substance dependence with inability to control use under any circumstance with intense withdrawal symptoms and /or continuing use despite clear exacerbation of any co-existing
[□ b- □ c- □ d-	threatening in the absence of close medical management (e.g., severe or complicated alcohol withdrawal, uncontrolled diabetes mellitus, complicated pregnancy, severe liver disease, debilitating cardiovascular disease). Presence and lack of control of presenting disorder places client in imminent danger from complications of existing medical problems. Uncontrolled medical condition severely worsens the presenting disorder, dramatically prolonging the course of illness and seriously impeding the ability to recover from it. Severe substance dependence with inability to control use under any circumstance with intense
	b- c- d-	threatening in the absence of close medical management (e.g., severe or complicated alcohol withdrawal, uncontrolled diabetes mellitus, complicated pregnancy, severe liver disease, debilitating cardiovascular disease). Presence and lack of control of presenting disorder places client in imminent danger from complications of existing medical problems. Uncontrolled medical condition severely worsens the presenting disorder, dramatically prolonging the course of illness and seriously impeding the ability to recover from it. Severe substance dependence with inability to control use under any circumstance with intense withdrawal symptoms and /or continuing use despite clear exacerbation of any co-existing psychiatric disorder and other aspects of well being. Acute or severe psychiatric symptoms are present which seriously impair client's ability to function and prevent recovery from any co-existing substance use disorder, or seriously
[] [] [] [] [] [] [] [] [] []	b- c- d- e-	threatening in the absence of close medical management (e.g., severe or complicated alcohol withdrawal, uncontrolled diabetes mellitus, complicated pregnancy, severe liver disease, debilitating cardiovascular disease). Presence and lack of control of presenting disorder places client in imminent danger from complications of existing medical problems. Uncontrolled medical condition severely worsens the presenting disorder, dramatically prolonging the course of illness and seriously impeding the ability to recover from it. Severe substance dependence with inability to control use under any circumstance with intense withdrawal symptoms and /or continuing use despite clear exacerbation of any co-existing psychiatric disorder and other aspects of well being. Acute or severe psychiatric symptoms are present which seriously impair client's ability to function and prevent recovery from any co-existing substance use disorder, or seriously exacerbate it.
IV. A	b- c- d- e- Reco	threatening in the absence of close medical management (e.g., severe or complicated alcohol withdrawal, uncontrolled diabetes mellitus, complicated pregnancy, severe liver disease, debilitating cardiovascular disease). Presence and lack of control of presenting disorder places client in imminent danger from complications of existing medical problems. Uncontrolled medical condition severely worsens the presenting disorder, dramatically prolonging the course of illness and seriously impeding the ability to recover from it. Severe substance dependence with inability to control use under any circumstance with intense withdrawal symptoms and /or continuing use despite clear exacerbation of any co-existing psychiatric disorder and other aspects of well being. Acute or severe psychiatric symptoms are present which seriously impair client's ability to function and prevent recovery from any co-existing substance use disorder, or seriously exacerbate it. very Environment vel of Stress w Stress Environment
IV. A	b- c- d- e- Reco	threatening in the absence of close medical management (e.g., severe or complicated alcohol withdrawal, uncontrolled diabetes mellitus, complicated pregnancy, severe liver disease, debilitating cardiovascular disease). Presence and lack of control of presenting disorder places client in imminent danger from complications of existing medical problems. Uncontrolled medical condition severely worsens the presenting disorder, dramatically prolonging the course of illness and seriously impeding the ability to recover from it. Severe substance dependence with inability to control use under any circumstance with intense withdrawal symptoms and /or continuing use despite clear exacerbation of any co-existing psychiatric disorder and other aspects of well being. Acute or severe psychiatric symptoms are present which seriously impair client's ability to function and prevent recovery from any co-existing substance use disorder, or seriously exacerbate it. very Environment

	C-	No major losses of interpersonal relationships or material status have been experienced recently.
	d-	Material needs are met without significant cause for concern that they may diminish in the near
П		future, and no significant threats to health or safety are apparent.
ш		Living environment poses no significant threats or risk.
	f-	No pressure to perform beyond capacity in social role.
2 -	Mil	dly Stressful Environment
		Presence of some ongoing or intermittent interpersonal conflict, alienation, or other
		difficulties.
Ш	b-	A transition that requires adjustment such as change in household members or a new job or
П	c	school. Circumstances causing some distress such as a close friend leaving town, conflict in or near
_	C-	current residence, or concern about maintaining material well being.
	d-	A recent onset of a transient but temporarily disabling or debilitating illness or injury.
П	e-	Potential for exposure to alcohol and/or drug use exists.
	f-	Performance pressure (perceived or actual) in school or employment situations creating
Ш		discomfort.
3 -	Mο	derately Stressful Environment
		Significant discord or difficulties in family or other important relationships or alienation from
		social interaction.
	b-	Significant transition causing disruption in life circumstances such as job loss, legal difficulties
		or change of residence.
Ш		Recent important loss or deterioration of interpersonal or material circumstances.
П		Concern related to sustained decline in health status.
		Danger in or near habitat.
Ш	f-	Easy exposure and access to alcohol and drug use. Perception that pressure to perform surpasses ability to meet obligations in a timely or
	g-	adequate manner.
		wae quare manaza
		ghly Stressful Environment
Ш	a-	Serious disruption of family or social milieu which may be due to illness, death, divorce or
		separation of parent and child, severe conflict, torment and/or physical or sexual
_	1_	mistreatment.
Ш	b-	Severe disruption in life circumstances such as going to jail, losing housing, or living in an unfamiliar, unfriendly culture.
$\overline{}$	C-	Inability to meet needs for physical and/or material well being.
Н		Recent onset of severely disabling or life threatening illness.
\Box	e-	Difficulty avoiding exposure to active users and other pressures to partake in alcohol or drug
ш		use.
	f-	Episodes of victimization or direct threats of violence near current home.
П	O-	Overwhelming demands to meet immediate obligations are perceived

5 - Ex	tremely Stressful Environment
□ b-	 An acutely traumatic level of stress or enduring and highly disturbing circumstances disrupting ability to cope with even minimal demands in social spheres such as: ongoing injurious and abusive behaviors from family member(s) or significant other. witnessing or being victim of extremely violent incidents perpetrated by human malice or natural disaster. persecution by a dominant social group. sudden or unexpected death of loved one. Unavoidable exposure to drug use and active encouragement to participate in use.
c- d- e- f-	Incarceration or lack of adequate shelter. Severe pain and/or imminent threat of loss of life due to illness or injury Sustained inability to meet basic needs for physical and material well being; Chaotic and constantly threatening environment.
B) Lev	vel of Support
	Plentiful sources of support with ample time and interest to provide for both material and emotional needs in all circumstances. Effective involvement of Assertive Community Treatment Team (ACT) or other similarly highly supportive resources. (Selection of this criterion pre-empts higher ratings)
2 - Sup	pportive Environment
□ a-	•
☐ b-	Some elements of the support system are willing and able to participate in treatment if requested to do so and have capacity to effect needed changes. Professional supports are available and effectively engaged (i.e. ICM). (Selection of this criterion pre-empts higher ratings)
3 - Lin	nited Support in Environment
	A few supportive resources exist in current environment and may be capable of providing some help if needed.
_	Usual sources of support may be somewhat ambivalent, alienated, difficult to access, or have a limited amount of resources they are willing or able to offer when needed. Persons who have potential to provide support have incomplete ability to participate in
	treatment and make necessary changes.
☐ d-	Resources may be only partially utilized even when available. Limited constructive engagement with any professional sources of support which are available.
4 - Mi1	nimal Support in Environment
□ a- b- □ c-	Very few actual or potential sources of support are available. Usual supportive resources display little motivation or willingness to offer assistance or they are dysfunctional or hostile toward client. Existing supports are unable to provide sufficient resources to meet material or emotional needs.

	□ d-	Client may be on bad terms with and unwilling to use supports available in a constructive manner.
	5 - No	Support in Environment
		No sources for assistance are available in environment either emotionally or materially.
V.	Treatr	nent and Recovery History
	□ a- □ b-	ly Responsive to Treatment and Recovery Management There has been no prior experience with treatment or recovery. Prior experience indicates that efforts in all treatments that have been attempted have been helpful in controlling the presenting problem. There has been successful management of extended recovery with few and limited periods of relapse even in unstructured environments or without frequent treatment.
	2 - Sig	nificant Response to Treatment and Recovery Management
		Previous or current experience in treatment has been successful in controlling most symptoms but intensive or repeated exposures may have been required.
	□ b-	Recovery has been managed for moderate periods of time with limited support or structure.
	□ a- □ b- □ c-	derate or Equivocal Response to Treatment and Recovery Management Previous or current treatment has not achieved complete remission of symptoms or optimal control of symptoms. Previous treatment exposures have been marked by minimal effort or motivation and no significant success or recovery period was achieved. Unclear response to treatment and ability to maintain a significant recovery. At least partial recovery has been maintained for moderate periods of time, but only with strong professional or peer support or in structured settings.
	☐ a-	Previous or current treatment has not achieved complete remission of symptoms or optimal control of symptoms even with intensive and/or repeated exposure. Attempts to maintain whatever gains that can be attained in intensive treatment have limited success, even for limited time periods or in structured settings.
	□ a-	Past or current response to treatment has been quite minimal, even with intensive medically managed exposure in highly structured settings for extended periods of time. Symptoms are persistent and functional ability shows no significant improvement despite this treatment exposure.
VI	. Enga	ngement
	□ а-	timal Engagement Has complete understanding and acceptance of illness and its affect on function. Actively maintains changes made in the past (Maintenance Stage)

	C-	Is enthusiastic about treatment, is trusting, and shows strong ability to utilize available resources.
	d-	Understands recovery process and personal role in a successful recovery plan.
2	Doo	itiva Engagoment
∠ -		Sitive Engagement Has significant understanding and acceptance of illness and its affect on function.
님	_	Willing to change and is actively working toward it (Action stage)
	c-	
	C	and uses available resources independently when necessary.
	d-	Shows recognition of personal role in recovery and accepts significant responsibility for it.
2	T in	wited Engagement
		nited Engagement
Ш	а-	Has some variability, hesitation or uncertainty in acceptance or understanding of illness and disability.
П	Ь	Has limited desire or lacks confidence to change despite intentions to do so (Preparation
_	D-	stage).
$\overline{}$	C-	Relates to treatment with some difficulty and establishes few, if any, trusting relationships.
Н		Does not use available resources independently or only in cases of extreme need.
\Box		Has limited ability to accept responsibility for recovery.
ш		The mined ability to accept responsibility for recovery.
		nimal Engagement
Ш	a-	Rarely, if ever, able to accept reality of illness or any disability which accompanies it, but may
		acknowledge some difficulties in living
	b-	, , , , , , , , , , , , , , , , , , , ,
$\overline{}$		(Contemplation stage).
Ш		Relates poorly to treatment and treatment providers and ability to trust is extremely narrow.
П	d-	Avoids contact with and use of treatment resources if left to own devices.
ш	e-	Does not accept any responsibility for recovery.
5 –	- Un	engaged and Stuck
\Box	a-	Has no awareness or understanding of illness and disability (Pre-contemplation stage)
	b-	Inability to understand recovery concept or contributions of personal behavior to disease
		process.
Ш	C-	Unable to actively engage in treatment and has no current capacity to relate to another or
		develop trust.
Ш	d-	Extremely avoidant, frightened, or guarded.
	Sco	<u>ores</u>
	Di	mension I
	Dit	mension II
	Dit	mension III
	Di	mension IVA
		mension IVB
		mension V
		mension VI
	Co	emposite
	D1a	acement Grid Level of Care (LOC)

Clinician Recommended LOC

Clinical Justification if Placement Grid LOC is different than Clinician Recommended LOC: