

**AETNA BETTER HEALTH® OF VIRGINIA REQUEST FORM  
ANTIEMETIC/ANTIVERTIGO MEDICATIONS**

Fax back to: 1-855-799-2553

---

If the following information is not complete, correct, or legible, the PA process can be delayed. Please use one form per member.

**MEMBER INFORMATION**

---

Last Name: \_\_\_\_\_

First Name: \_\_\_\_\_

Medicaid ID Number: \_\_\_\_\_

Date of Birth: \_\_\_\_\_

Weight in Kilograms: \_\_\_\_\_

**PRESCRIBER INFORMATION**

---

Last Name: \_\_\_\_\_

First Name: \_\_\_\_\_

NPI Number: \_\_\_\_\_

Phone Number: \_\_\_\_\_

Fax Number: \_\_\_\_\_

**DRUG INFORMATION**

---

**Does not require PA:** ondansetron (ODT 4 mg and 8 mg/tablet/solution) (maximum quantity per fill = 60 for ODT/tablet); meclizine; metoclopramide (tablet/solution); prochlorperazine (tablet); promethazine in members over 2 years of age.

**Drug Name/Form:** \_\_\_\_\_

**Strength:** \_\_\_\_\_

**Dosing Frequency:** \_\_\_\_\_

**Length of Therapy:** \_\_\_\_\_

**Quantity per Day:** \_\_\_\_\_

*(Form continued on next page.)*

Member's Last Name:

Member's First Name:

---

**DIAGNOSIS AND MEDICAL INFORMATION**

---

**For dronabinol or Marinol:**

1. Does the member have a diagnosis of severe, chemotherapy-induced nausea and vomiting?  
 Yes     No
2. If the member's diagnosis is acquired immunodeficiency syndrome (AIDS)-related wasting, has the member tried and failed megestrol acetate oral suspension or does the member have a contraindication, intolerance, or drug-drug interaction?  
 Yes     No
3. For Marinol, has the member tried and failed the preferred product dronabinol?  
 Yes     No

**For ondansetron 16 mg ODT:**

4. Has the member tried and failed or been intolerant to ondansetron 8 mg ODT?  
 Yes     No

**For Nereus (tradipitant):**

5. Is this medication being used to treat or prevent motion sickness?  
 Yes     No
6. Has the member tried and failed meclizine and promethazine?  
 Yes     No

**For all other non-preferred agents:**

7. Does the member have nausea or vomiting related to radiation therapy, moderate to highly emetogenic chemotherapy, or post-operative nausea and vomiting?  
 Yes     No
8. Has the member tried and failed therapeutic doses of, or had adverse effects or contraindications to **two** different conventional antiemetics (e.g., promethazine, prochlorperazine, meclizine, metoclopramide, dexamethasone)?  
 Yes     No
9. Does the member have hyperemesis (i.e., pregnancy-related nausea/vomiting)?  
 Yes     No

*(Form continued on next page.)*

**Member's Last Name:**

**Member's First Name:**

---

10. Does the member have diabetic gastroparesis? If yes, list why oral metoclopramide cannot be used.

Yes       No

---

11. What clinical evidence can be provided that the preferred agent(s) will not provide adequate benefit, what pharmaceutical agents were attempted, and what were the outcomes?

---

**Prescriber Signature (Required)**

**Date**

By signature, the Physician confirms the above information is accurate and verifiable by member records.

**Please include ALL requested information; Incomplete forms will delay the PA process.**

Submission of documentation does NOT guarantee coverage.