

AETNA BETTER HEALTH® OF VIRGINIA REQUEST FORM

Antimigraine Agents, Vyepti® (eptinezumab-jmmr)

Fax back to: 1-855-799-2553

If the following information is not complete, correct, or legible, the PA process can be delayed. Please use one form per member.

**MEMBER INFORMATION**

Last Name:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

First Name:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Medicaid ID Number:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Date of Birth:

				-					-										
--	--	--	--	---	--	--	--	--	---	--	--	--	--	--	--	--	--	--	--

Weight in Kilograms: \_\_\_\_\_

**PRESCRIBER INFORMATION**

Last Name:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

First Name:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

NPI Number:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Phone Number:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Fax Number:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

**DRUG INFORMATION**

Drug Name/Form: \_\_\_\_\_

Strength: \_\_\_\_\_

Dosing Frequency: \_\_\_\_\_

Length of Therapy: \_\_\_\_\_

Quantity per Day: \_\_\_\_\_

Preventive treatment of migraine	
Preferred Agents step edit required	Non-Preferred Agents (PA required)
Aimovig®, Ajoovy® and Ajoovy® autoinjector Emgality® pen and syringe (120 mg), Nurtec® ODT	Emgality® syringe (100 mg) Qulipta™, Vyepti®
Acute treatment of migraine	
Preferred Agents (No PA with trial of 2 generic triptans)	Non-Preferred Agents (PA required)
Nurtec® ODT, Ubrelvy™	Reyvow®, Trudhesa™, Zavzpret™

(Form continued on next page.)

Member's Last Name:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Member's First Name:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

**DRUG INFORMATION (Continued)**

---

Identify why the preferred agents cannot be used.

---

**DIAGNOSIS AND MEDICAL INFORMATION**

---

All drugs in this class are eligible to receive a SIX (6)-month approval. Complete the following questions. For preventive treatment of migraine, does the member meet the step edit AND the following criteria?

1. Does the member have a diagnosis of migraine with or without aura based on International Classification of Headache Disorders (ICHD-III) diagnostic criteria? **AND**  
 Yes     No
2. Is the member ≥ 18 years of age? **AND**  
 Yes     No
3. Has the member been utilizing prophylactic intervention modalities (e.g., pharmacotherapy, behavioral therapy, physical therapy, etc.)? **AND**  
 Yes     No
4. Does the member have a diagnosis of chronic migraines defined as 15 or more headache (tension-type-like and/or migraine-like) days per month for > 3 months? **AND**
  - a. Member has had at least five attacks with features consistent with migraine (with and/or without aura); **AND**
  - b. On at least 8 days per month for > 3 months:
    - i. Headaches have characteristics and symptoms consistent with migraine; **OR**
    - ii. Member suspected migraines are relieved by a triptan or ergot derivative medication; **AND**
  - c. Member has failed at least an 8-week trial of any two oral medications for the prevention of migraines (e.g antidepressants, beta blockers, antiepileptics) prior to initiation of eptinezumab; **AND**
  - d. Member had an inadequate response (or unable to tolerate) a minimum trial of at least two preferred self-injectable CGRP options; **OR**  
 Yes     No
5. Does the member have diagnosis of frequent episodic migraines defined as at least 5 headache attacks lasting 4–72 hours (when untreated or unsuccessfully treated)? **AND**
  - a. Headaches have characteristics and symptoms consistent with migraine without aura; **AND**
  - b. Medication overuse headache has been ruled out by trial and failure of titrating off acute migraine treatments in the past; **AND**  
 Yes     No

(Form continued on next page.)

Member's Last Name:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Member's First Name:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

6. Will Vyepti not be used in combination with prophylactic calcitonin gene-related peptide (CGRP) inhibitors? (e.g., erenumab, galcanezumab, fremanezumab, atogepant, rimegepant, etc.)
- Yes     No

**For renewal, complete the following question to receive a TWELVE (12)-month approval.**

1. Does the member continue to meet the initial criteria? **AND**
- Yes     No
2. Does the member have an absence of unacceptable toxicity from the drug? **AND**
- Yes     No
3. Has the member experienced a clinical response as evidenced by:
- a. Reduction in mean monthly headache days (MHD) of at least moderate severity of  $\geq 50\%$  relative to the pretreatment baseline (diary documentation or medical professional attestation); **OR**
  - b. A clinically meaningful improvement in ANY of the following validated migraine-specific member-reported outcome measures:
    - i. Reduction of  $\geq 5$  points when baseline score is 11–20 OR Reduction of  $\geq 30\%$  when baseline score is  $> 20$  in the MIDAS (Migraine Disability Assessment) scores; **OR**
    - ii. Reduction of  $\geq 5$  points in the MPFID (Migraine Physical Function Impact Diary) score; **OR**
    - iii. Reduction of  $\geq 5$  points in the HIT-6 (Headache Impact Test) score;
- Yes     No

---

**Prescriber Signature (Required)**

**Date**

By signature, the physician confirms the above information is accurate and verifiable by member records.

**Please include ALL requested information; Incomplete forms will delay the PA process.**

Submission of documentation does NOT guarantee coverage.